

PRODUCT INFORMATION

END FITTINGS

Stainless steel end connectors

Dazzlers ...

The shining solution in stainless steel. No chance for rust. Optimum protection against moisture and chemicals.



Snap hook K type
with thimble eye
Material: AISI 316
Finish: high gloss polished
Nom. size 50x5 to 160x13



Snap hook SK type
with thimble eye and screw cap
Material: AISI 316
Finish: high gloss polished
Nom. size 60x6 to 120x13



Quick link
Material: AISI 316
Finish: high gloss polished



Wire rope clip
similar to DIN 741
Material: AISI 316
Finish: high gloss polished
Rope dia. 2 to 24



Simplex clip
Material: AISI 316
Finish: high gloss polished
Rope dia. 2 to 10




Duplex clip
Material: AISI 316
Finish: high gloss polished
Rope dia. 2 to 10



Screw end swage terminal
with nut
Material: AISI 316
Finish: high gloss polished
Rope dia. 2,5 to 16
Thread M 5 to M 16



Jaw end swage terminal
Material: AISI 316
Finish: high gloss polished
Rope dia. 2,5 to 10




Snap hook NC type

Nominal Size = l · d ₁	Working Load Limit (WLL)	Weight ~ kg/ea	Measurements				
			d ₁	d ₂	f	l	m
mm	t	~ kg/ea	mm	mm	mm	mm	mm
50x5	0,10	0,02	5	8	5	50	7
60x6	0,12	0,03	6	9	6,5	60	8
70x7	0,18	0,04	7	10	8	70	8
80x8	0,23	0,07	8	10	8,5	80	9
90x9	0,25	0,09	9	12	9,5	90	10
100x10	0,35	0,13	10	15	10,5	100	11
120x11	0,45	0,18	11	18	11,5	120	16
140x12	0,51	0,26	12	20	13	140	19
160x13	0,60	0,35	13	22	15	160	25

Material: AISI 316
Finish: High gloss polished

Thimble N type



Nominal Size = a	Weight ~ kg/ea	Measurements	
		c	l
mm	~ kg/ea	mm	mm
3	0,003	10	16
4	0,004	11	17
5	0,005	13	20
6	0,009	16	25
7	0,01	18	28
8	0,02	20	32
10	0,03	26	40
12	0,04	28	45
14	0,09	34	56
16	0,13	37	62
18	0,16	42	65
20	0,19	45	78

Material: AISI 316
Finish: High gloss polished




Rigging screw
jaw end / swage terminal
Material: AISI 316
Finish: high gloss polished
Rope dia. 2,5 to 10
Thread M5 to M 20




Eye end terminal
Material: AISI 316
Finish: high gloss polished
Rope dia. 2,5 to 10

Shackle short, straight



Working Load Limit (WLL)	Weight	Measurements		
		b ₁	d ₄	h ₁
~ t	~ kg/ea	mm	mm	mm
0,16	0,01	8	M 4	16
0,25	0,02	10	M 5	19
0,40	0,03	12	M 6	24
0,63	0,06	16	M 8	32
1	0,11	20	M 10	40
1,50	0,20	25	M 12	48
2,75	0,47	32	M 16	65
4	0,79	38	M 20	76
5	1,26	44	M 22	88
6	1,86	50	M 24	100

Material: AISI 316
Finish: high gloss polished



Rigging screw

jaw/jaw

Nominal Size = Thread	Working Load Limit (WLL)	Weight	Measurements				
			b ₁	b ₂	d ₅	l ₁	l ₅
	~ t	~ kg/ea	mm	mm	mm	mm	mm
M 5	0,2	0,05	6	9	5	80	130-190
M 6	0,3	0,10	8	10	6	95	150-220
M 8	0,5	0,17	10	11	8	105	180-255
M 10	0,75	0,30	12	13	9	125	220-300
M 12	1,2	0,51	14	20	12	150	270-385
M 14	1,5	0,60	14	22	12	165	300-425
M 16	2,0	1,1	16	26	16	190	360-500
M 20	3,2	1,7	20	30	19	210	390-560

Material: AISI 316
Finish: high gloss polished



Toggle
Material: AISI 316
Finish: High gloss polished
Pin dia. 5,5 to 16,5mm



Swivel BB type
Eye/Eye
Material: AISI 316
Finish: High gloss polished
Bow dia. 6 to 16mm



Swivel BG type
Eye/Jaw
Material: AISI 316
Finish: High gloss polished
Pin dia. 6 to 16mm



Swivel GG
Jaw/Jaw
Material: AISI 316
Finish: High gloss polished
Pin dia. 6 to 16mm



Shackle, bow type
Material: AISI 316
Finish: High gloss polished
WLL ~ 0,16 to 5,75 t
Size M 4 to M 24



Shackle, long
Material: AISI 316
Finish: High gloss polished
WLL ~ 0,16 to 1,5 t
Size M 4 to M 12



Eyebolt
similar to DIN 580
Material: AISI 316
Finish: High gloss polished
WLL ~ 0,07 to 3,6 t
Thread M 6 to M 30



Eyenut
similar to DIN 582
Material: AISI 316
Finish: High gloss polished
WLL ~ 0,07 to 3,6 t
Thread M 6 to M 30



Tunbuckle
similar to DIN 1480
Hook/Eye, Hook/Hook,
Eye/Eye,
forged,
Material: AISI 316
Finish: High gloss polished
Thread M 5 to M 16

i MORE ...

Anything missing? Some important information or a similar product, a different size or a solution for your special needs? Ask us. We are pleased to advise.